Customer No. 27061

Patent

Attorney Docket No. GEMS8081.146

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Davis, Steven C.

Serial No.

10/604,299

BEST AVAILABLE COPY

Filed

July 9, 2003

For

Method and Apparatus to Automatically Maintain

Loop Isolation in Position Variant MRI Coils

Group Art No.

2859

Examiner

Vargas, D.

CERTIFICATION UNDER 37 CFR 1.8(a) and 1.10

I hereby certify that, on the date shown below, this correspondence is being:

Mailing

n deposited with the US Postal Service in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

37 CFR 1.8(a)

37 CFR 1.10

u with sufficient postage as first class mail

11 As "Express Mail Post Office to Addressee" Mailing Label No.

Transmission

■ transmitted by fuesimile to Fax No.: 703-872-9306 addressed to Examiner Varyas at the Patent and Trademark Office.

Date:

9-13-04

Signature

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT MAILED AUGUST 12, 2004

Dear Sir.

Responsive to the Restriction Requirement mailed August 12, 2004, please enter the following election with traverse and consider the following comments in support of rejoinder.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked.
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.